# GA.3520: Honors Analysis of Algorithms

## Problem Set 1

## Due on Mon, Sept 29, after the class

Collaboration is allowed, but you must write your own solutions. Not all problems need divide-and-conquer approach.

## Problem 1

Design an O(n) time algorithm that given a sequence  $(a_1, a_2, ..., a_n)$  of n distinct integers and an integer k,  $1 \le k \le n$ , finds the  $k^{th}$  smallest integer in the sequence (i.e.  $k^{th}$  element from the beginning if the n integers were sorted in increasing order). Clearly state and analyze the recurrence relation that you may use.

Note: In particular when  $k = \lfloor \frac{n}{2} \rfloor$ , the algorithm finds the median.

Hint: Use a modification of the algorithm presented in class to find the median.

#### Problem 2

Assuming that only equality checks are allowed, design an O(n) time algorithm to check if there is an element which occurs more than  $\frac{n}{2}$  times in an array containing n elements. Note that the elements are not necessarily integers and the only operation allowed is checking whether two elements are equal.

#### Problem 3

Suppose a>b>1 and c>0 are constants and T(n) is a function (taking non-negative values) that satisfies:

$$T(n) \le a \cdot T\left(\frac{n}{b}\right) + cn, \qquad T(1) \le c.$$

Show that  $T(n) = O(n^{\log_b a})$ . Hint: Unroll the recursion in terms of  $T(\frac{n}{b})$ ,  $T(\frac{n}{b^2})$ ,  $T(\frac{n}{b^3})$ , ....

#### Problem 4

An interval [a, b] is the set of all real numbers between (and including) a and b. Given n intervals,

$$[a_1,b_1], [a_2,b_2], \ldots, [a_n,b_n],$$

design an  $O(n \log n)$  time algorithm to decide whether there exists a pair of intervals that overlap (i.e. share a point).

## Problem 5

Given a  $m \times n$  matrix of integers such that every row is strictly increasing (from left to right), and every column is strictly increasing (from top to bottom), design an O(m+n) time algorithm to test if a given integer b is contained in the matrix.

## Problem 6

Given a sequence of positive integers  $(a_1, a_2, \ldots, a_n)$ , design an O(n) time algorithm to find a shortest sub-sequence of consecutive integers  $(a_i, a_{i+1}, \ldots, a_j)$  whose sum is at least a given integer M. In other words, you want to find indices  $1 \le i \le j \le n$  so as to minimize j - i + 1 subject to the condition that  $\sum_{k=i}^{j} a_k \ge M$ .

## (Optional, do not submit) Problem 7

A rectangle in plane is a set of the form  $[a, b] \times [c, d]$ . Given n rectangles, design an  $O(n \log n)$  time algorithm to decide whether there exists a pair of rectangles that overlap (i.e. share a point).